Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S64	3	"6643670"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:06
S65	392150	(replic$5 or cop$3 or duplicat$3 or updat$3) same (time or timestamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:55
S66	216281	(replic$5 or cop$3 or duplicat$3 or updat$3) with (time or timestamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:08
S67	153445	S66 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:09
S68	182651	(synch$10 with (data or database or file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:10
S69	16498	S67 and S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:46
S70	145200	("sequence number" or identifier or number) same (replic$5 or cop$3 or duplicat$3 or updat$3 or synch$10) same (time or timestamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:48
S71	11497	("sequence number" or identifier) same (replic$5 or cop$3 or duplicat$3 or updat$3 or synch$10) same (time or timestamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:54
S72	6573	S71 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:54

S73	2712	("sequence number") same (replic$5 or cop$3 or duplicat$3 or updat$3 or synch$10) same (time or timestamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 17:13
S74	1698	S73 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:55
S75	388660	(replic$5 or cop$3 or duplicat$3 or updat$3) same (database or data or file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:59
S76	0	("l11samel12").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 16:56
S77	1270	S74 and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:57
S78	271149	(replic$5 or synch$10) same (database or data or file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 16:59
S79	871	S74 and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 17:05
S80	3	"6643670"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 17:05
S81	1	("6643670").URPN.	USPAT	OR	ON	2005/10/05 17:05
S82	9	("5758337" | "5829001" | "6012059" | "6243715" | "6256634" | "6374283" | "6457011" | "6516327" | "6529921").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/05 17:06
S83	3686	("sequence number" or "version number") same (replic$5 or cop$3 or duplicat$3 or updat$3 or synch$10) same (time or timestamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 17:14

S84	1812	S78 and S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 17:14
S85	1109	S84 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 17:17
S86	29513	("707").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:17
S87	185	S85 and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 17:17
S88	271554	(replic$5 or synch$10) same (database or data or file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 10:41
S89	3696	("sequence number" or "version number") same (replic$5 or cop$3 or duplicat$3 or updat$3 or synch$10) same (time or timestamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 10:41
S90	1818	S88 and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 10:41
S91	1109	S90 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 10:41
S92	29605	("707").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 10:41
S93	185	S91 and S92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 10:41

S94	185	S93	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 10:42
S95	20	S94 and (latency or congest$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 11:57
S96	10	(replicat$3 or synch$1 or mirror$3) same ((sequence or version) near2 number) same (time or timestamp) same (latency or congest$2 or delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 12:03
S97	3	S96 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 11:59
S98	6483	(replicat$3 or synch$1 or mirror$3) same (time or timestamp) same (latency or congest$2 or delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 12:03
S99	4599	S98 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 12:08
S100	2	"6865576"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 12:12
S101	4	"6138124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 12:21
S102	10	replica$4 same ((sequence or version) near2 number) same (latency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 12:23
S103	399	replica$4 same (time or timestamp) same (latency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 12:23

S104	241	S103 and @ad < "20011101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 12:23
S105	55	S104 and ((sequence or version or replica) near number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 12:24